Pull-Behind Mowers



Source: www.TurfMagazine.com

As technology advances in the green industry, the tools of the trade become more efficient, more specialized and more operator friendly. Check out the pull-behind mowers that these manufacturers have to help keep your turf neat and manicured.

To get information on any of the products listed, simply circle the appropriate number on the enclosed reader service card and drop it in the mail.

For INSTANT FREE information on the products featured in this guide, visit <u>dev.turfmagazine.com/freeinfo</u>.



Cub Cadet

The FML72 rear finish mower features an 8-gauge deck housing and reinforcement plate under the spindle assembly. It has a range of cutting heights from 1 to 5 inches. The rear discharge helps disperse cuttings cleanly and evenly. Four durable, composite rubber caster wheels give a level cut.



Kesmac

Transportable reel mowers with single-point reel adjustment come in five, seven, nine and 11-gang configurations and can mow up to 160 acres a day. They feature fingertip hydraulic controls, quick mower height adjustments from .5 to 3.25 inches and high flotation for reduced compaction.



Befco Cyclone Flex and Super-Flex gang finishing mowers come in working widths of 12, 15, 17 and 20 feet, with mowing heights from 1 to 5 inches.



Gravely Turf TRM Series reel mowers come with a three, five or seven-



gang mowing head. Rated for 15 to 35 hp tractors, they come in 83, 138 and 192-inch cutting widths.

John Deere The Frontier GM30 Series grooming mower features a floating hitch, high blade tip speed, precise blade overlap, tapered deck design and 25 to 35 hp gearbox.



Kunz Engineering

AcrEase rough cut mowers, in 44 and 57-inch models, are powered by engines ranging from 17.5 to 23 hp and feature a four-tire design and twin blades.



Land Pride AFM42 Series All-Flex Grooming Mowers are available in 14 and 16-foot-8-inch cutting widths. Three wing decks discharge clippings away from the rear deck.



New Holland

The 300 Series rear-mount finishing mowers have a floating deck, safety chains and cutter blades made from special steel to provide high suction for grass lifting.



ProMow

Gold Series gang reel mowers come in widths from 4 feet 10 inches to 11 feet 4 inches, mow up to 5 acres per hour and have cutting heights from .5 to 3 inches.



Schulte Industries The FX180 rotary cutter features a 7-gauge, continuously welded deck; Super Suction .5-by-4-inch blades with 6.5inch overlap; and high blade tip speeds.



u

Swisher The T-66 Trailmower has three Gator Mulcher blades, 66inch deck, 20 hp Briggs & Stratton engine, universal articulating hitch and 2-gallon fuel tank.

You'll find product focuses on Utility Vehicles & Attachments, Skid Steers & Attachments and Software in the May issue of *Turf*.