Riding Mowers and Accessories



Source: www.TurfMagazine.com

Riding mowers have long been considered one of the most important pieces of equipment in the industry. Here you can find the latest models with the newest technology, along with attachments that can turn your zero-turn mower into a total lawn care system.

Click any image to enlarge.

BigDog Mowers

BigDog X Diablo

Engine: 27 or 35 hp Kawasaki
Trans.: Pump and wheel motor
Cut Width: 60 or 72 inches

• Feature: 26-inch tires, super deluxe seat

www.bigdogmowers.com

BOB-CAT

ProCat SE

• Engine: Kawasaki or Kohler Command Pro

Trans.: Hydro-Gear

• Cut Width: 52 and 61 inches

• Feature: Extreme discharge system with DuraDeck

www.bobcatturf.com

Bush Hog

RS2650B

• Engine: 26 hp Briggs & Stratton

• Trans.: N/A

• Cut Width: 50 inches

• Feature: Manual height adjustment

www.bushhog.com

Cub Cadet

Tank SZ

• Engine: 23 to 27 hp

Trans.: Pump and wheel motorsCut Width: 48 and 60 inches

• Feature: Four-wheel steering and steering wheel control

www.CubCadet.com

Dixie Chopper

Magnum

• Engine: 27 hp B&S

Trans.: ZT-3400 transaxleCut Width: 50 or 60 inches

• Feature: Mowing speeds up to 9 mph

www.dixiechopper.com

Dixon

SpeedZTR 48 SE

• Engine: 24 hp Kawasaki FR

Trans.: HydrostaticCut Width: 48 inches

• Feature: Dual-outlet exhaust and special decal package

www.dixon-ztr.com

Exmark

LaZer Z X-Series

• Engine: Kohler EFI

Trans.: Pump and wheel motorsCut Width: 60 or 72 inches

• Feature: Electronic governor and operator-defined performance modes

www.exmark.com

Ferris

IS 1500Z

• Engine: 18.5 to 28 hp B&S and Kawasaki

Trans.: Pumps and wheel motors
 Cut Width: 44 to 61 inches
 Feature: 10 mph ground speed

www.ferrisindustries.com

Grasshopper

Model 226V-48

Engine: 26 hp Briggs & Stratton
Trans.: Pump and wheel motors
Cut Width: 48, 52 and 61 inches

• Feature: Side-discharge, mulching and vacuum capabilities

www.grasshoppermower.com

Husqvarna

M-ZT

• Engine: 28 or 30 hp Briggs & Stratton

• Trans.: Hydrostatic

• Cut Width: 52 and 61 inches

• Feature: Rugged fabricated decks with cast iron blade spindles

www.husqvarna.com/us/home/

Hustler

Super 104

• Engine: Kawasaki FX1000 ■ Trans.: Hyper-Drive • Cut Width: 104 inches

• Feature: Hydraulic wing deck lift

www.hustlerturf.com

John Deere

Z900 Series

• Engine: 23.3 to 35 hp

• Trans.: TuffTorq piston pump/piston wheel motor

• Cut Width: 48, 54 or 60 inches

• Feature: Three models with various options

www.johndeere.com

Kubota

Kommander

• Engine: 23 to 27 hp

Trans.: Hydro-Gear ZT-3100Cut Width: 48 and 54 inches

• Feature: K-Lift mechanical one-push deck lift pedal and dial cam

www.kubota.com

LandPride

ZSR Series

• Engine: 23, 23.5 and 26 hp

Trans.: Hydro-Gear

• Cut Width: 54 and 60 inches

• Feature: Foot-operated rapid deck height adjustment

www.landpride.com

Lastec

4520ZSR Articulator

Engine: 45 hp KubotaTrans.: HydrostaticCut Width: 120 inches

• Feature: Five fully articulating rotary decks

www.lastec.com

Mean Green

CXR-52 and CXR-60

• Engine: 36-Volt Lithium Battery

Trans.: N/A

• Cut Width: 52 or 60 inches

• Feature: No emissions, batteries charge up to 1,500 cycles

www.meangreenproducts.com

Snapper Pro

S200xt

Engine: 25.5 to 36 hp B&S or Kawasaki
 Trans.: Hydro-Gear Commercial ZT-5400

• Cut Width: 61 or 72 inches

• Feature: Mows up to 6 acres per hour

www.snapperpro.com

Toro

Z Master Professional 6000 Series EFI

• Engine: 29 hp Kohler EFI

Trans.: Pump and wheel motorsCut Width: 60 and 72 inches

• Feature: Engine automatically adapts to changes

www.toro.com

Walker Mfg.

Super B Diesel

• Engine: Yanmar Minimax

Trans.: Hydro-Gear transaxleCut Width: 52, 60 or 74 inches

• Feature: Rubber isolation engine mounts

www.walkermowers.com

Wright

Sport X Mower

Engine: 22 or 23.5 hp Kawasaki
Trans.: Pump and wheel motors
Cut Width: 48, 52 or 61 inches

• Feature: New AERO CORE deck design

www.wrightmfg.com

Worldlawn Power Equip.

Cobra Series

• Engine: 24 or 27 hp Kawasaki

• Trans.: Hydro-Gear pump and motor

• Cut Width: 48, 52 or 60 inches

• Feature: 13 cutting heights from 1.5 to 4.5 inches

www.worldlawnpowerequipment.com

Accessories

JRC0

The Tine Rake Dethatcher removes embedded thatch and leaves and combs up matted turfgrass while mowing. Available in 36-, 46- and 60-inch widths. www.jrcoinc.com

M-B Attachments

http://m-bco.com/attachments

Original Tractor Cab Co.

The R.O.P.S. attached large soft top canopy provides protection from harmful sun rays and features quick and simple installation. http://originalcab.com

Peco

Peco baggers are engineered to fit each specific make and model of zeroturn mowers. Three models are available: the PRO2, PRO 3 and PRO 12 DFS.

www.lawnvac.com

Power-Locker.com

Power Lockers automatically lock mowers in place, and meet and exceed state and federal laws for securing mowers while transporting them. Small, large and ATV sizes.

www.Power-Locker.com

ProLawn

The sprayer/spreader has specially designed aerodynamic shields that help control drift by keeping chemicals within the spray chamber. Spray up to 5.5 acres per tank.

www.prolawnsprayshields.com

ProMow

www.promow.com

Spyker Spreaders

The 125-pound Pro Series tow-behind spreader features Accu-Way for ▼ consistent spread pattern, Spyker dial with 99 degrees of adjustability and die-cast metal gears.

www.spyker.com

W.E. Chapps

The Deluxe Rider/Z Cover secures around the mower with strong elastic. The waterproof, tear-resistant outer cover comes with no liner, cotton liner or heat liner.

www.wechapps.com

Check out next month's issue of *Turf* for Product Focuses on Compact Tractors & Attachments and Pull-Behind Mowers.

"