<u>You Can't Change Prices, But You Can</u> <u>Practice Fuel Safety</u>



Source: www.TurfMagazine.com



- Use the right container: red for gasoline, blue for kerosene, yellow for diesel.
- Inspect your fuel containers for leaks or cracks before each fill-up. If there are any signs of aging, carefully dispose of the container and purchase a new one.
- Do not remove or alter the Flame Mitigation Device inside the opening of the fuel container in any way.

- Place fuel containers on the ground during filling to avoid sparks from static electricity and spills inside the vehicle.
- Only fill containers to the "fill line" to allow for expansion during changing temperatures.
- If a fuel can has expanded in the summer heat, point the can away and vent by activating the release button while upright before pouring. Modern containers are designed to remain sealed to protect the environment from emissions and keep fuel fresh longer.
- Wipe up any spills immediately.
- When filling up equipment, do it outside to avoid breathing in fumes.
- Never fill an engine that is running or still hot from recent use.
- Store fuel containers in a dry, well-ventilated place and away from furnaces, water heaters, direct sunlight, and other sources of heat.

Scepter offers Scepter® SmartControl® fuel containers for gasoline, kerosene, and diesel fuels. SmartControl containers are Made in America and designed to substantially exceed ASTM and CPSC minimum standards. For more information about fuel safety, go to <u>scepter.com/safety</u>.

For an article on Fuel Savings, click <u>here</u>.